



yukonopticsglobal.com



PHOTON **RT**

Reticle Catalogue








Reticle Catalogue

PHOTON RT

X50i



Mark Dimensions	MOA	cm @ 100m
Width of the mark	144	419
Height of the mark	144	419
Thickness of the lines of the central cross	0,75	2
Distance form the center of the mark to thickenings on vertical and horizontal lines (A)	12	35
Sizes of the thickenings on the lines:		
- length (B)	56	163
- width (C)	2,25	7







Reticle Catalogue

PHOTON RT

X56i




Mark dimensions	MOA	cm @ 100m
Width of the mark	50	145
Height of the mark	50	145
Width of the central cross	1,35	4
Height of the central cross	1,35	4
Thickness of the lines of the central cross	0,75	2
Break between the edges of central cross and sight mark lines (A)	4,5	13
Dimensions of the thickenings on the lines:		
- length (B)	6,75	20
- width (C)	2,25	7



Reticle Catalogue

PHOTON RT

T53i





Mark dimensions	MOA	cm @ 100m
Width of the mark	50	145
Height of the mark	50	145
Width of the central cross	1,35	4
Height of the central cross	1,35	4
Thickness of the lines of the central cross	0,75	2
Break between the edges of central cross and sight mark lines (A)	4,5	13
Dimensions of the thickenings on the lines:		
- length (B)	6,75	20
- width (C)	2,25	7



Reticle Catalogue

PHOTON RT

T54i



Mark dimensions	MOA	cm @ 100m
Width of the mark	144	419
Height of the mark	144	419
Thickness of the lines of the central cross	0,75	2
Distance between the strokes (A)	3,5	10
Distance between the center of the mark to the thickenings on vertical and horizontal lines (B)	17,5	51
Dimensions of the thickenings on the lines:		
- length (C)	56	163
- width (D)	2,25	7
Dimension of the stroke on the lines:		
	0,75	2
	2,25	7




Reticle Catalogue

PHOTON RT

Xbow300

Mark dimensions	MOA	cm @ 100m
Width of the mark	144	419
Height of the mark		
- upper stroke	72	209
- lower stroke	81	236
Thickness of the lines of the central cross	0,75	2
Distance between the mark and the first right stroke (A)	15,63	45
Distance between the mark and the first left stroke (B)	18,13	53
Distance between the mark and the second right stroke (C)	33,05	96
Distance between the mark and the second left stroke (D)	38,1	111
Distance between the mark and the third right stroke (E)	51,42	150
Distance between the mark and the third left stroke (F)	59,2	172
Distance between the mark and the forth right stroke (G)	70,62	205
Distance between the mark and the forth left stroke (H)	81,1	236
First stroke dimension		
- horizontal	1,75	5
- vertical	0,75	2
Second stroke dimension		
- horizontal	2	6
- vertical	0,75	2
Third stroke dimension		
- horizontal	2,5	7
- vertical	0,75	2
Forth stroke dimension		
- horizontal	2,75	8
- vertical	0,75	2





Reticle Catalogue

PHOTON RT

Xbow350

Mark dimensions	MOA	cm @100 m
Width of the mark	144	419
Height of the mark		
- upper stroke	72	209
- lower stroke	58	169
Thickness of the lines of the central cross	0,75	2
Distance between the mark and the first right stroke (A)	11,06	32
Distance between the mark and the first left stroke (B)	12,76	37
Distance between the mark and the second right stroke (C)	23,83	69
Distance between the mark and the second left stroke (D)	27,05	79
Distance between the mark and the third right stroke (E)	37,3	109
Distance between the mark and the third left stroke (F)	42,3	123
Distance between the mark and the forth right stroke (G)	51,475	150
Distance between the mark and the forth left stroke (H)	58,16	169
First stroke dimension		
- horizontal	1,75	5
- vertical	0,75	2
Second stroke dimension		
- horizontal	2	6
- vertical	0,75	2
Third stroke dimension		
- horizontal	2,5	7
- vertical	0,75	2
Forth stroke dimension		
- horizontal	2,75	8
- vertical	0,75	2

